


ST64 / ST19 / BTT Filament LED Lamps


Clear / Golden

A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |




ST64 / ST19 Clear

EU VERSION (220-240V)		US VERSION (110-130V)	
Wattage & Lumen :		Wattage & Lumen :	
4 W / 470 lm		2 W / 250 lm	
5 W / 640 lm		4 W / 470 lm	
6 W / 810 lm		6 W / 810 lm	
8 W / 1055 lm		3.2 W / 320 lm (Dimmable)	
4.5 W / 470 lm (Dimmable)		4.5 W / 520 lm (Dimmable)	
7 W / 810 lm (Dimmable)		5.5 W / 660 lm (Dimmable)	
		6.5 W / 810 lm (Dimmable)	
		11 W / 1400 lm (Dimmable)	
Size (mm) :		Size (mm) :	
Ø64 X 143 (E27)		Ø64 X 138 (E26)	
Ø64 X 142 (B22)			
6500K / 4000K / 2700K		6500K / 4000K / 2700K	



ST64 / ST19 Golden

EU VERSION (220-240V)		US VERSION (110-130V)	
Wattage & Lumen :		Wattage & Lumen :	
2.5 W / 230 lm		2.5 W / 200 lm	
4 W / 400 lm		4 W / 400 lm	
5 W / 540 lm		6 W / 650 lm	
6 W / 620 lm		7 W / 900 lm	
8 W / 1055 lm		4.5 W / 470 lm (Dimmable)	
4.5 W / 400 lm (Dimmable)		5.5 W / 500 lm (Dimmable)	
5.5 W / 640 lm (Dimmable)		6.5 W / 650 lm (Dimmable)	
7 W / 720 lm (Dimmable)		7 W / 750 lm (Dimmable)	
Size (mm) :		Size (mm) :	
Ø64 X 143 (E27)		Ø64 X 138 (E26)	
Ø64 X 142 (B22)			
2200K / 2400K / 2700K		2200K / 2400K / 2700K	



BTT Clear

US VERSION (110-130V)
Wattage & Lumen :
4.5 W / 470 lm (Dimmable)
6.5 W / 810 lm (Dimmable)
Size (mm) :
Ø46 X 103 (E26)
6500K / 4000K / 2700K

S28 / T25 / T32 / T14 Filament LED Lamps

Clear / Golden

A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |




S28 Clear

EU VERSION (220-240V)

Wattage & Lumen :
0.45 W / 40 lm
0.85 W / 80 lm

Size (mm) :
Ø28 X 65 (E14)

6500K / 4000K / 2700K




T25 Clear

US VERSION (110-130V)

Wattage & Lumen :
2.5 W / 200 lm

Size (mm) :
Ø25 X 85 (E12)
Ø25 X 86 (E14)

6500K / 4000K / 2700K



T25 Golden

US VERSION (110-130V)

Wattage & Lumen :
2.5 W / 150 lm

Size (mm) :
Ø25 X 85 (E12)
Ø25 X 86 (E14)

2000K



T32 Clear

EU VERSION (220-240V)

Wattage & Lumen :
2 W / 250 lm
4 W / 470 lm
5 W / 600 lm
6 W / 810 lm
4.5 W / 470 lm (Dimmable)

US VERSION (110-130V)
3.2 W / 320 lm
4.5 W / 470 lm (Dimmable)
5.5 W / 600 lm (Dimmable)

Size (mm) :
Ø32 X 127 (E27)
Ø32 X 126 (E26)

6500K / 4000K / 2700K




T14 Clear

US VERSION (110-130V)

Wattage & Lumen :
4.5 W / 450 lm (Dimmable)

Size (mm) :
Ø45 X 115 (E26)

6500K / 4000K / 2700K



T14 Golden

US VERSION (110-130V)

Wattage & Lumen :
4.5 W / 400 lm (Dimmable)

Size (mm) :
Ø45 X 115 (E26)

2200K / 2400K / 2700K

T30 Filament LED Lamps

Clear / Golden

ENERGY STAR | Life Time 20000 hrs | CE | RoHS



T30 Clear

US VERSION (110-130V)

Wattage & Lumen :

6 W / 810 lm

4.5 W / 450 lm (Dimmable)

6.5 W / 810 lm (Dimmable)

Size (mm) :

Ø30 X 304 (E26)

6500K / 4000K / 2700K



T30 Golden

US VERSION (110-130V)

Wattage & Lumen :

4.5 W / 380 lm (Dimmable)

5 W / 500 lm (Dimmable)

6.5 W / 660 lm (Dimmable)

Size (mm) :

Ø30 X 304 (E26)

2200K



R50 / R63 / R80 Filament LED Lamps

Clear / Frosted

| Energy Class | Life Time 20000 hrs | ErP | CE | RoHS | REACH |



R50 Clear

EU VERSION (220-240V)

Wattage & Lumen :
2 W / 170 lm
4 W / 320 lm
3.5 W / 240 lm (Dimmable)

Size (mm) :
Ø50 X 86 (E14)

6500K / 4000K / 2700K

R63 Clear

EU VERSION (220-240V)

Wattage & Lumen :
2 W / 130 lm
4 W / 250 lm
5 W / 470 lm

Size (mm) :
Ø63 X 100 (E27)

6500K / 4000K / 2700K

R80 Clear

EU VERSION (220-240V)

Wattage & Lumen :
4 W / 370 lm

Size (mm) :
Ø80 X 115 (E27)
Ø80 X 114 (B22)

6500K / 4000K / 2700K

R50 Frosted

EU VERSION (220-240V)

Wattage & Lumen :
2 W / 170 lm
4 W / 320 lm

Size (mm) :
Ø50 X 86 (E14)

6500K / 4000K / 2700K

R80 Frosted

EU VERSION (220-240V)

Wattage & Lumen :
4 W / 300 lm

Size (mm) :
Ø80 X 117 (E27)
Ø80 X 116 (B22)

6500K / 4000K / 2700K

Pendant Filament LED Lamps

Golden

| A++ Energy Class | Life Time 20000 hrs | ErP | CE | RoHS | REACH |



DC200 Golden

EU VERSION (220-240V)

Wattage & Lumen :
4.5 W / 470 lm (Dimmable)

US VERSION (120V)

Wattage & Lumen :
4.5 W / 470 lm (Dimmable)

Size (mm) :
Ø195 X 158 (E26)
Ø195 X 159 (E27)

2200K / 2400K / 2700K

GA200 Golden

EU VERSION (220-240V)

Wattage & Lumen :
4.5 W / 470 lm (Dimmable)

US VERSION (120V)

Wattage & Lumen :
4.5 W / 470 lm (Dimmable)

Size (mm) :
Ø195 X 174 (E26)
Ø195 X 175 (E27)

2200K / 2400K / 2700K

GX200 Golden

EU VERSION (220-240V)

Wattage & Lumen :
4.5 W / 470 lm (Dimmable)

US VERSION (120V)

Wattage & Lumen :
4.5 W / 470 lm (Dimmable)

Size (mm) :
Ø195 X 166 (E26)
Ø195 X 167 (E27)

2200K / 2400K / 2700K

Colour Filament LED Lamps

Red / Yellow / Green / Blue / Black

Life Time 20000 hrs | ErP | CE | RoHS | REACH |



G45 Colour

EU VERSION (220-240V)
Wattage : 2 W / 4 W

Size (mm) : 045 X 84 (E27)



A60 Colour

EU VERSION (220-240V)
Wattage : 2 W / 4 W

Size (mm) : 060 X 105 (E27)



C35 Colour

EU VERSION (220-240V)
Wattage : 2 W / 4 W

Size (mm) : 035 X 99 (E14)



A67 / A19 Colour

EU VERSION (220-240V)
Wattage : 4 W

US VERSION (120V)
Wattage : 4 W (Dimmable)

Size (mm) :
067 X 117 (E26)
067 X 118 (E27)